

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 778 440 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:

26.08.1998 Bulletin 1998/35

(43) Date of publication A2:

11.06.1997 Bulletin 1997/24

(21) Application number: 96119458.6

(22) Date of filing: 04.12.1996

(51) Int. Cl.⁶: F21V 8/00, G02F 1/1335,

G02B 27/01, G01C 21/20,

G02F 1/1339, G02F 1/1345

(84) Designated Contracting States:

DE FR GB

(30) Priority: 05.12.1995 JP 316227/95

26.02.1996 JP 37783/96

09.04.1996 JP 86190/96

09.04.1996 JP 86191/96

(71) Applicant:

MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.

Kadoma-shi, Osaka-fu, 571 (JP)

(72) Inventors:

• Okuda, Eiichiro
Habikino-shi, Osaka 583 (JP)

• Asakawa, Shiro
Nara-shi, Nara 630 (JP)

• Okauchi, Tohru
Ikoma-shi, Nara 630-01 (JP)

(74) Representative:

Grünecker, Kinkeldey,
Stockmair & Schwanhäusser
Anwaltssozietät
Maximilianstrasse 58
80538 München (DE)

(54) Backlighting device and color display device

(57) To achieve a backlighting device having excellent light utilization, there is provided an edge lighting-type backlight having a light guiding member (3), a high-refractive-index layer (4) formed thereon and having a higher refractive index than the light guiding member (3), and a scattering layer (5) formed on the high-refractive-index layer (4). Light from a light source (1) disposed facing the edge of the light guiding member (3) enters the high-refractive-index layer (4) through the light guiding member (3), and effectively scatters to produce high brightness, and furthermore, to achieve a color display device that eliminates color mixing in a transparent display device for decorative or various display uses, a construction is provided in which on one surface of a light guiding plate (3) there are formed a high-refractive-index layer (4) having a higher refractive index than the light guiding plate (3), a light scattering layer (5), and a low-refractive-index layer having a lower refractive index than the light guiding plate (3), one on top of another in this order, and on top of that structure another light guiding plate is provided, on top of which a high-refractive-index layer and a light scattering layer are likewise formed, while a color filter is disposed on one edge face of each light guiding plate and a light source is disposed near each color filter.



F i g . 1 (b)

EP 0 778 440 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 11 9456

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	PATENT ABSTRACTS OF JAPAN vol. 17, no. 684 (P-1661) & JP 05 232467 A (SEKISUI CHEM), 10 September 1993, * abstract *	1	F21V8/00 G02F1/1335 G02B27/01 G01C21/20 G02F1/1339 G02F1/1345
A	--- PATENT ABSTRACTS OF JAPAN vol. 18, no. 621 (P-1832) & JP 06 235917 A (FUJITSU), 23 August 1994, * abstract *	1	
A	--- US 4 422 719 A (ORCUTT) 27 December 1983 * column 4, line 19 - line 54 *	1	
P,X	--- PATENT ABSTRACTS OF JAPAN vol. 96, no. 8 & JP 08 101309 A (SUMITOMO CHEM), 16 April 1996, * abstract *	1	
X	--- EP 0 229 863 A (VINTHER) 29 July 1987 * column 2, line 02 - column 53; figure 2 *	2	TECHNICAL FIELDS SEARCHED (Int.Cl.6) F21V G02F G02B B60Q
X	--- MESAKI Y ET AL: "INVITED ADDRESS NEW BLACKLIGHTING TECHNOLOGIES FOR LCDs" SID INTERNATIONAL SYMPOSIUM DIGEST OF TECHNICAL PAPERS, SAN JOSE, JUNE 14 - 16, 1994, no. VOL. 25, 14 June 1994, MORREALE J, pages 281-284, XP000462712 * figure 3 *	2	
A	--- GB 2 259 176 A (SAMSUNG) 3 March 1993 * page 4, line 21 - page 5, line 08; figure 3 *	2	
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		26 June 1998	Diot, P
CATEGORY OF CITED DOCUMENTS X particularly relevant if taken alone Y particularly relevant if combined with another document of the same category A technological background O non-written disclosure P intermediate document T theory or principle underlying the invention E earlier patent document, but published on, or after the filing date D document cited in the application L document cited for other reasons & member of the same patent family, corresponding document			



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 11 9458

DOCUMENTS CONSIDERED TO BE RELEVANT				
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)	
A	US 5 390 085 A (MARI-ROCA) 14 February 1995 * figure 1 *	2		
X	EP 0 272 582 A (SUMITOMO) 29 June 1988 * page 4, line 21 - line 46 *	3		
X	EP 0 559 914 A (KOIKE) 15 September 1993 * page 5, line 01 - line 44 *	3		
X	WO 95 16983 A (KIM) 22 June 1995 * page 5, line 25 - page 7, line 25; figure 1 *	7 8		
X	US 4 949 489 A (RUDELL) 21 August 1990 * column 3, line 24 - column 4, line 13; figure 8 *	8,13		
A	GB 1 044 351 A (PERTINT) * page 3, line 5 - page 4, line 21; figures 6,7 *	7,8		
X	DE 23 53 485 A (DAIMLER-BENZ) 7 May 1975 * page 1 - page 2 *	17,18		TECHNICAL FIELDS SEARCHED (Int.Cl.6)
X	US 2 200 300 A (ROPER) 14 May 1940 * the whole document *	17		
X	US 4 418 377 A (NISSAN) 29 November 1983 * column 2, line 04 - line 52 *	17,18		
E	EP 0 747 750 A (OIS) 11 December 1996 * column 4, line 11 - line 50 * * column 7, line 25 - column 9, line 11 * -/-	17,18		
The present search report has been drawn up for all claims				
Place of search THE HAGUE		Date of completion of the search 26 June 1998	Examiner Diot, P	
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X particularly relevant if taken alone Y particularly relevant if combined with another document of the same category A technological background O non-written disclosure P intermediate document</p> <p>T theory or principle underlying the invention E earlier patent document, but published on, or after the filing date D document cited in the application L document cited for other reasons & member of the same patent family, corresponding document</p>				

EP FORM 1503 03 82 (P04/C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 11 9458

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 6)
A	PATENT ABSTRACTS OF JAPAN vol. 16, no. 163 (P-1341) & JP 04 012388 A (TOKYO GAS) * abstract *	17, 18	TECHNICAL FIELDS SEARCHED (Int. Cl. 6)
P, A	PATENT ABSTRACTS OF JAPAN vol. 96, no. 5 & JP 08 011581 A (NIPPONDENSO), 16 January 1996, * abstract *	19	
A	PATENT ABSTRACTS OF JAPAN vol. 16, no. 109 (P-1326) & JP 03 282416 A (UBE) * abstract *	19	
A	EP 0 424 950 A (HUGHES AIRCRAFT) 2 May 1991 * column 2, line 23 - column 5, line 04 *	19	
A	EP 0 643 315 A (JAGUAR) 15 March 1995 * column 1, line 39 - column 3, line 44 *	22	
A	EP 0 398 346 A (HUGHES) 22 November 1990 * column 3, line 15 - column 6, line 55 *	22	
A	US 4 635 033 A (INUKAI) 6 January 1987 * column 2, line 03 - line 23; figures 1, 4, 5 *	22	
X	PATENT ABSTRACTS OF JAPAN vol. 006, no. 062 (P-111), 21 April 1982 -& JP 57 005030 A (SEIKO EPSON CORP), 11 January 1982, * abstract; figure 7 *	26	
X	US 4 137 524 A (CHEN) 30 January 1979 * column 5, line 18 - column 6, line 50 *	26	
	-/-		
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		26 June 1998	Diot, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X particularly relevant if taken alone Y particularly relevant if combined with another document of the same category A technological background O non-written disclosure P intermediate document</p> <p>T theory or principle underlying the invention E earlier patent document, but published on, or after the filing date D document cited in the application L document cited for other reasons & member of the same patent family, corresponding document</p>			

EP 0 778 440 A3 (P. 1)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 11 9458

DOCUMENTS CONSIDERED TO BE RELEVANT

DOCUMENTS CONSIDERED TO BE RELEVANT				
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)	
A	US 4 669 828 A (PARKER) 2 June 1987	22		
Y	* column 2, line 06 - column 3, line 10 *	37		
	* column 6, line 04 - line 46 *			

X	EP 0 261 898 A (THORN EMI) 30 March 1988	27		
	* column 4, line 13 - line 19 *			

X	PATENT ABSTRACTS OF JAPAN vol. 17, no. 402 (P-1580) & JP 05 072563 A (ROHM)	28		
	* abstract *			

X	PATENT ABSTRACTS OF JAPAN vol. 002, no. 056 (E-029), 24 April 1978 -& JP 53 020794 A (SHARP CORP), 25 February 1978,	28		
	* abstract; figures 2-4 *			
	---		TECHNICAL FIELDS SEARCHED (Int.Cl.6)	
X	US 4 235 526 A (BERMAN) 25 November 1980	36		
Y	* column 3, line 35 - column 6, line 34 *	37		

X	GB 1 350 601 A (MARCONI) 18 April 1974	36		
	* page 1, line 78 - page 3, line 49 *			

X	PATENT ABSTRACTS OF JAPAN vol. 6, no. 116 (P-125) & JP 57 045520 A (ALPS)	36		
	* abstract *			

A	EP 0 552 508 A (PHILIPS) 28 July 1993	36,37		
	* page 2, line 06 - line 57 *			

A	DE 28 41 338 A (EBAUCHES) 8 November 1979	36,37		
	* page 4 - page 5, last line; figures 1,2			
	*			

The present search report has been drawn up for all claims				
Place of search				Date of completion of the search
THE HAGUE				26 June 1998
				Examiner Diot, P
CATEGORY OF CITED DOCUMENTS				
X : particularly relevant if taken alone				
Y : particularly relevant if combined with another document of the same category				
A : technological background				
O : non-written disclosure				
P : intermediate document				
T : theory or principle underlying the invention				
E : earlier patent document, but published on, or after the filing date				
D : document cited in the application				
L : document cited for other reasons				
& : member of the same patent family, corresponding document				



European Patent
Office

Application Number

EP 96 11 9458

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s)
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

LACK OF UNITY OF INVENTION
SHEET B

Application Number

EP 96 11 9458

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1, 4-6

A backlighting device comprising a light guiding member and a transparent layer having a higher refractive index than said light guiding layer formed on a light emergence surface of said light guiding layer.

2. Claim : 2

A backlighting device comprising a light guiding member and a light emergence surface of said light guiding layer is sloped with an angle of between 87-90 degree.

3. Claim : 3

A backlighting device comprising a light guiding member and a scattering layer formed of two (or more) of materials having different refractive indices mixed in a separated phase.

4. Claims: 7-16

A color display comprising a plurality of light guiding plates, light scattering layer formed on top of each light guiding plate, color elements (filters or light sources) disposed on a edge of each guiding plate.

5. Claims: 17, 18

A color display (CRT) or a LCD positioned near a glass surface, and a polarizer arranged to block or absorb S wave polarization components.

6. Claims: 19-21

A color display having a variable scattering layer, positioned near a glass surface, wherein the display is mounted so that the angle of incidence of the display light on said window becomes equal to the brewster angle.

7. Claims: 22-25

A color display having a variable scattering layer, positioned near a glass surface, wherein the display is mechanically positioned at a first position for displaying images illuminated by ambient light, and a second position

LACK OF UNITY OF INVENTION
SHEET B

Application Number
EP 96 11 9458

for displaying virtual images formed by illuminating with a lighting device.

A LCD having a particular arrangement of display pattern, wiring portion, transparent electrode and insulating layer.

A LCD having a line width of a wiring portion thicker according to the position, size of said display portion.

A LCD having a transparent member provided on a wiring portion and its method of manufacturing.